

The listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1-38. (Canceled)

39. (Currently Amended) A display device comprising:

a pair of resinous substrates facing each other and each having an uneven surface;

a resinous layer formed on at least one of the pair of resinous substrates, wherein the resinous layer planarizes the uneven surface;

a thin film transistor formed over the resinous layer;

a layer comprising a resinous material covering the thin film transistor; and

a pixel electrode formed over the layer, and electrically connected to the thin film transistor.

40. (Currently Amended) A display device comprising:

a pair of flexible substrates facing each other and each having an uneven surface;

a resinous layer formed on at least one of the pair of flexible substrates, wherein the resinous layer planarizes the uneven surface;

a thin film transistor formed over the resinous layer;

a layer comprising a resinous material covering the thin film transistor; and

a pixel electrode formed over the layer, and electrically connected to the thin film transistor.

41.-42. (Canceled)

43. (Currently Amended) A display device comprising:

a pair of resinous substrates facing each other and each having an uneven surface;

a resinous layer formed on at least one of the pair of resinous substrates, wherein the resinous layer planarizes the uneven surface;

a thin film transistor formed over the resinous layer, wherein the thin film transistor has a channel formation region comprising amorphous silicon;

a layer comprising a resinous material covering the thin film transistor; and

a pixel electrode formed over the layer, and electrically connected to the thin film transistor.

44. (Currently Amended) A display device comprising:

a pair of flexible substrates facing each other and each having an uneven surface;

a resinous layer formed on at least one of the pair of flexible substrates, wherein the resinous layer planarizes the uneven surface;

a thin film transistor formed over the resinous layer, wherein the thin film transistor has a channel formation region comprising amorphous silicon;

a layer comprising a resinous material covering the thin film transistor; and

a pixel electrode formed over the layer, and electrically connected to the thin film transistor.

45.-46. (Canceled)

47. (Currently Amended) A display device comprising:

a pair of resinous substrates facing each other and each having an uneven surface;

a resinous layer formed on at least one of the pair of resinous substrates, wherein the resinous layer planarizes the uneven surface;

a thin film transistor formed over the resinous layer, wherein the thin film transistor has a channel formation region comprising microcrystalline silicon;

a layer comprising a resinous material covering the thin film transistor; and

a pixel electrode formed over the layer, and electrically connected to the thin film transistor.

48. (Currently Amended) A display device comprising:

a pair of flexible substrates facing each other and each having an uneven surface;

a resinous layer formed on at least one of the pair of flexible substrates, wherein the resinous layer planarizes the uneven surface;

a thin film transistor formed over the resinous layer, wherein the thin film transistor has a channel formation region comprising microcrystalline silicon;

a layer comprising a resinous material covering the thin film transistor; and

a pixel electrode formed over the layer, and electrically connected to the thin film transistor.

49.-50. (Canceled)

51. (Currently Amended) A display device comprising:

a pair of resinous substrates facing each other and each having an uneven surface;

a resinous layer formed on at least one of the pair of resinous substrates, wherein the resinous layer planarizes the uneven surface;

a thin film transistor formed over the resinous layer, wherein the thin film transistor has a channel formation region comprising crystalline silicon;

a layer comprising a resinous material covering the thin film transistor; and
a pixel electrode formed over the layer, and electrically connected to the thin film transistor.

52. (Currently Amended) A display device comprising:

a pair of flexible substrates facing each other and each having an uneven surface;

a resinous layer formed on at least one of the pair of flexible substrates, wherein the resinous layer planarizes the uneven surface;

a thin film transistor formed over the resinous layer, wherein the thin film transistor has a channel formation region comprising crystalline silicon;

a layer comprising a resinous material covering the thin film transistor; and

a pixel electrode formed over the layer, and electrically connected to the thin film transistor.

53.-54. (Canceled)

55. (Currently Amended) A display device comprising:

a pair of resinous substrates facing each other and each having an uneven surface;

a resinous layer formed on at least one of the pair of resinous substrates, wherein the resinous layer planarizes the uneven surface;

a thin film transistor formed over the resinous layer, wherein the thin film transistor has a channel formation region comprising crystalline silicon formed by irradiating an amorphous silicon film with a laser light;

a layer comprising a resinous material covering the thin film transistor; and

a pixel electrode formed over the layer, and electrically connected to the thin film transistor.

56. (Currently Amended) A display device comprising:

a pair of flexible substrates facing each other and each having an uneven/
surface;

a resinous layer formed on at least one of the pair of flexible substrates, wherein
the resinous layer planarizes the uneven surface;

a thin film transistor formed over the resinous layer, wherein the thin film
transistor has a channel formation region comprising crystalline silicon formed by
irradiating an amorphous silicon film with a laser light;

a layer comprising a resinous material covering the thin film transistor; and

a pixel electrode formed over the layer, and electrically connected to the thin film
transistor.

57.-58. (Canceled)

59. (Currently Amended) A display device according to any one of claims [[55-
58]] 55 and 56, wherein the laser light comprises at least one selected from the group
consisting of KrF excimer laser light and XeCl laser light.

60. (Currently Amended) A display device according to any one of claims [[39-
58]] 39, 40, 43, 44, 47, 48, 51, 52, 55 and 56, wherein the resinous layer comprises an
acrylic resin.

61. (Currently Amended) A display device according to any one of claims [[39-
58]] 39, 40, 43, 44, 47, 48, 51, 52, 55 and 56, wherein the resinous layer comprises at
least one selected from the group consisting of methyl esters of acrylic acid, ethyl esters
of acrylic acid, butyl esters of acrylic acid, and 2-ethylhexyl esters of acrylic acid.

62.-65. (Canceled)

66. (Currently Amended) A display device according to any one of claims [[39-58]] 39, 40, 43, 44, 47, 48, 51, 52, 55 and 56, wherein the thin film transistor comprises a coplanar thin-film transistor.

67. (Currently Amended) A display device according to any one of claims [[39-58]] 39, 40, 43, 44, 47, 48, 51, 52, 55 and 56, wherein the thin film transistor comprises an inverted-staggered thin-film transistor.

68. (Currently Amended) A display device according to any one of claims 39, [[41,]] 43, [[45,]] 47, [[49,]] 51, [[53,]] and 55 [[and 57]], wherein the pair of resinous substrates comprise at least one selected from the group consisting of PET (polyethylene terephthalate), PEN (polyethylene naphthalate), PES (polyethylene sulfite), and polyimide.

69. (Currently Amended) A display device according to any one of claims 40, [[42,]] 44, [[46,]] 48, [[50,]] 52, [[54,]] and 56 [[and 58]], wherein the pair of flexible substrates comprise at least one selected from the group consisting of PET (polyethylene terephthalate), PEN (polyethylene naphthalate), PES (polyethylene sulfite), and polyimide.